



لیست قیمت رسمی فراداد ۱۴۰۲

ارتباط نماگستر

فروش محصولات داهوا

تمامی کالاها دارای ۲۴ ماه گارانتی پارس ارتباط

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید

02145215

WWW.ENGOSTAR.NET

کارشناس فروش و نصب دورین مداربسته

09123170852

09128991041

09124232099

| | 1 | 2 | 3 | 4 |
|---|---|---|--|---|
| Dahua | DH-IPC-HFW1230S-0280B-S5 | DH-IPC-HFW1239S1-LED-0360-S5 | DH-IPC-HFW2230SP-S-S2 | DH-IPC-HFW2239SP-SA-LED-S2 |
|  |  |  |  |  |
| Price (Rials) | ۳۲,۳۰۰,۰۰۰ | ۳۲,۳۳۰,۰۰۰ | ۳۸,۶۴۰,۰۰۰ | ۴۶,۶۴۰,۰۰۰ |
| Camera Type | Bullet | Bullet | Bullet | Bullet |
| Max Resolution | 2MP(1920x1080) @25/30fps | 2MP(1920x1080) @25/30fps | 2MP(1920x1080) @25/30fps | 2MP(1920x1080) @20fps |
| Sensor Size | 1/2.7" | 1/2.8" | 1/2.7" | 1/2.8" |
| Lens | 2.8 Fixed | 3.6 Fixed | 3.6 Fixed | 2.8 Fixed |
| Viewing Angle | 106° | 88° | 91° | 107° |
| Night Vision Distance | IR 30M | Warm Light 10/15M | IR 30 M | Warmlight/ IR 30 M |
| Dynamic Range | DWDR | DWDR | DWDR | WDR 120db |
| Built in Mic | No | No | No | Yes |
| SD Card Support | No | No | Yes (Up to 256G) | Yes (Up to 256G) |
| Power Supply | 12V DC or POE | 12V DC or POE | 12V DC or POE | 12V DC or POE |
| Video Compression | H.265+/H.264+/H.265/H.264H/MJPEG | SMART H.264+/H.265+ | SMART H.264+/H.265+ | H.265+/H.264+/H.265/H.264H/MJPEG |
| Protection | IP67 | IP67 | IP67 | IP67 |
| Other Features | 3D NR, BLC, HLC, ROI | 3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering. | 3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, video tampering. | 3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire |

WWW.ENGOSTAR.NET

021-45215

| | 5 | 6 | 7 | 8 |
|---|---|---|--|---|
| Dahua | DH-IPC-HFW2231T-ZS-S2 | DH-IPC-HDW1230T1P-0280B-S5 | DH-IPC-HDW1230S-S5 | DH-IPC-HDW2231TM-AS-S2 |
|  |  |  |  |  |
| Price (Rials) | ۷۳,۹۱۰,۰۰۰ | ۳۱,۲۳۰,۰۰۰ | ۳۱,۲۶۰,۰۰۰ | ۴۹,۷۴۰,۰۰۰ |
| Camera Type | Bullet | Dome | Dome | Dome |
| Max Resolution | 2MP(1920x1080) @25/30fps | 2MP(1920x1080) @25/30fps | 2MP(1920x1080) @25/30fps | 2MP(1920x1080) @25/30fps |
| Sensor Size | 1/2.7" | 1/2.7" | 1/2.8" | 1/2.8" |
| Lens | Motorized (2.7-13.5 mm) | 2.8 Fixed | 2.8/3.6 Fixed | 2.8/3.6 Fixed |
| Viewing Angle | 106°-29° | 102° | 102°/84° | 107°/88° |
| Night Vision Distance | IR 60M | IR 30M | IR 30M | IR 30M |
| Dynamic Range | WDR 120db | DWDR | DWDR | WDR 120db |
| Built in Mic | No | No | No | Yes |
| SD Card Support | Yes (Up to 128G) | No | No | Yes (Up to 256G) |
| Power Supply | 12V DC or POE | 12V DC or POE | 12V DC or POE | 12V DC or POE |
| Video Compression | H.265+/H.264+/H.265/H.264H/MJPEG | H.265+/H.264+/H.265/H.264H/MJPEG | SMART H.264+/H.265+ | SMART H.264+/H.265+ |
| Protection | IP67 | IP67 | IP67 | IP67 |
| Other Features | 3D NR, BLC, HLC, AWB, AGC | 3D NR, BLC, HLC, AWB, AGC, ROI, EIS | 3D NR, HLC, BLC, digital watermarking, ROI | 3D NR, HLC, BLC, digital watermarking, ROI |

| | 9 | 10 | 11 | 12 |
|---|---|---|--|---|
| Dahua | DH-IPC-HDW2231TP-AS-0360-S2 | DH-IPC-HDW2239TP-AS-LED-0280 | DH-IPC-HFW2431TP-ZAS-27135-S2 | DH-IPC-HFW3441TP-ZAS |
|  |  |  |  |  |
| Price (Rials) | ۴۶,۵۵۰,۰۰۰ | ۴۸,۰۲۰,۰۰۰ | ۹۳,۱۹۰,۰۰۰ | ۱۱۰,۲۳۰,۰۰۰ |
| Camera Type | Dome | Dome | Bullet | Bullet |
| Max Resolution | 2MP(1920x1080) @25/30fps | 2MP(1920x1080) @25/30fps | 4MP(2560x1440) @25/30fps | 4MP(2688x1520) @30fps |
| Sensor Size | 1/2.8" | 1/2.8" | 1/3" | 1/3" |
| Lens | 3.6 Fixed | 2.8 Fixed | Motorized (2.7-13.5 mm) | Motorized (2.7-13.5 mm) |
| Viewing Angle | 88° | 107° | 104°-27° | 104°-27° |
| Night Vision Distance | Starlight/ IR 30M | Warmlight/ IR 30M | IR 60 M | IR 60 M |
| Dynamic Range | WDR 120db | WDR 120db | WDR 120db | WDR 120db |
| Built in Mic | Yes | Yes | Yes | No |
| SD Card Support | Yes (Up to 256G) | Yes (Up to 256G) | Yes (Up to 256G) | Yes (Up to 256G) |
| Power Supply | 12V DC or POE | 12V DC or POE | 12V DC or POE | 12V DC or POE |
| Video Compression | SMART H.264+/H.265+ | SMART H.264+/H.265+ | SMART H.264/H.265 | SMART H.264+/H.265+ |
| Protection | IP67 | IP67 | IP67,IK10 | IP67,IK10 |
| Other Features | 3D NR, HLC, BLC, digital watermarking, ROI | 3D NR, HLC, BLC, digital watermarking, ROI, AWB | 3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), AWB, AGC | 3D NR, HLC, BLC, ROI, Smart detection (Tripwire Intrusion), digital watermarking, Motion detection, video tampering, scene changing |

WWW.ENGOSTAR.NET

| | 13 | 14 | 15 | 16 |
|---|---|---|--|---|
| Dahua | DH-IPC-HFW3441EP-SA-0360B | DH-IPC-HFW3449EP-AS-LED | DH-IPC-HDW3441TMP-AS | DH-IPC-HDBW1431EP-S4 |
|  |  |  |  |  |
| Price (Rials) | ۶۹,۷۵۰,۰۰۰ | ۷۹,۲۵۰,۰۰۰ | ۶۶,۷۶۰,۰۰۰ | ۴۶,۸۹۰,۰۰۰ |
| Camera Type | Bullet | Bullet | Dome | Dome |
| Max Resolution | 4MP(2688x1520) @30fps | 4MP(2688x1520) @30fps | 4MP(2688x1520) @20fps | 4MP(2688x1520) @20fps |
| Sensor Size | 1/3" | 1/2.7" | 1/3" | 1/3" |
| Lens | 3.6 Fixed | 3.6 Fixed | 2.8, 3.6 Fixed | 2.8 Fixed |
| Viewing Angle | 84° | 80° | 102°/84° | 104° |
| Night Vision Distance | IR 50 M | Warmlight/ IR 30 M | IR 30 M | IR 30 M |
| Dynamic Range | WDR 120db | WDR 120db | WDR 120db | WDR 120db |
| Built in Mic | Yes | Yes | Yes | No |
| SD Card Support | Yes (Up to 256G) | Yes (Up to 256G) | Yes (Up to 256G) | No |
| Power Supply | 12V DC or POE | 12V DC or POE | 12V DC or POE | 12V DC or POE |
| Video Compression | H.265/H.264/H.264H/H.264B/MJPEG | H.265/H.264/H.264H/H.264B/MJPEG | H.265+/H.265/H.264+/H.264 | H.265+/H.265/H.264+/H.264 |
| Protection | IP67 | IP67 | IP67 | IP67, IK10 |
| Other Features | 3D NR, HLC, BLC, Intelligent detection: Intrusion, tripw | 3D NR, HLC, BLC, Intelligent detection: Intrusion, tripw | 3D NR, HLC, BLC, digital watermarking, applicable to various monitoring scenes | 3D NR, HLC, BLC, ePoE, AWB, AGC |

WWW.ENGOSTAR.NET

| | 17 | 18 | 19 | 20 |
|---|---|---|--|---|
| Dahua | DH-IPC-HDW2431TMP-AS-S2 | DH-IPC-HDW3449TMP-AS-LED | DH-IPC-HDBW2831RP-ZS-S2 | DH-IPC-HFW2831TP-ZS-S2 |
|  |  |  |  |  |
| Price (Rials) | ۶۲,۷۱۰,۰۰۰ | ۵۶,۵۴۰,۰۰۰ | ۱۱۷,۰۲۰,۰۰۰ | ۱۲۰,۷۷۰,۰۰۰ |
| Camera Type | Dome | Dome | Dome | Bullet |
| Max Resolution | 4MP(2688x1520) @20fps | 4MP(2688x1520) @30fps | 8MP(3840x2160) @15fps | 8MP(3840x2160) @25/30fps |
| Sensor Size | 1/3" | 1/2.7" | 1/1.8" | 1/1.8" |
| Lens | 2.8 Fixed | 2.8/3.6 Fixed | Motorized (3.7-11 mm) | Motorized (3.7-11 mm) |
| Viewing Angle | 102° | 103°/80° | 112°-46° | 112°-46° |
| Night Vision Distance | Starlight/ IR 30M | Warmlight/IR 30 M | IR 30 M | IR 60 M |
| Dynamic Range | WDR 120db | WDR 120db | WDR 120db | WDR 120db |
| Built in Mic | Yes | Yes | No | No |
| SD Card Support | Yes (Up to 256G) | Yes (Up to 256G) | Yes (Up to 128G) | Yes (Up to 128G) |
| Power Supply | 12V DC or POE | 12V DC or POE | 12V DC or POE | 12V DC or POE |
| Video Compression | SMART H.264/H.265 | H.265+/H.265/H.264+/H.264/MIPEG | H.265+/H.265/H.264+/H.264 | H.265+/H.265/H.264+/H.264 |
| Protection | IP67 | IP67 | IP67, IK10 | IP67, IK10 |
| Other Features | 3D NR, HLC, BLC, ROI, Smart detection (Tripwire) Intrusion, AWB, AGC | 3D NR, HLC, BLC, AWB, AGC, ROI, Intelligent detection: Intrusion, tripwire | 3D NR, HLC, BLC, AWB, AGC | 3D NR, HLC, BLC, AWB, AGC |

WWW.ENGOSTAR.NET

| | 21 | 22 | 23 |
|---|--|--|---|
| Dahua | DH-SD5A232XA-HNR | DH-SD49225XA-HNR-S3 | DH-SD5A432XA-HNR |
|  |  |  |  |
| Price (Rials) | ۴۸۹,۲۴۰,۰۰۰ | ۲۵۹,۳۴۰,۰۰۰ | ۵۲۱,۱۷۰,۰۰۰ |
| Camera Type | PTZ | PTZ | PTZ |
| Max Resolution | 2MP(1920x1080) @50/60fps | 2MP(1920x1080) @25/30fps | 4MP(2560x1440) @25/30fps |
| Sensor Size | 1/2.8" | 1/2.8" | 1/2.8" |
| Lens | 4.9-156 mm | 4.8-120 mm | 4.9-156 mm |
| Optical zoom | 32x | 25x | 32x |
| Night Vision Distance | Starlight/IR 150 M | Starlight/IR 100 M | Starlight/IR 150 M |
| Dynamic Range | WDR 120db | WDR 120db | WDR 120db |
| Built in Mic | No | No | Yes |
| SD Card Support | Yes (Up to 256G) | Yes (Up to 512G) | Yes (Up to 256G) |
| Power Supply | 24V DC or POE | 12 VDC, 3 or POE | 24V DC or POE |
| Video Compression | H.265+/H.265/H.264+/H.264/MIPEG | H.265+/H.265/H.264+/H.264/MIPEG | H.265+, H.264+, H.265, H.264, MIPEG |
| Protection | IP67/IK10 | IP66 | IP67/IK10 |
| Other Features | Defog, Rol,2D & 3D DNR, HLC, BLC, Tripwire and intrusion. Support alarm triggering by target types (human and vehicle). Support filtering false alarms caused by animals, rustling leaves, bright lights, etc. | Defog, Rol,2D & 3D DNR, HLC, BLC, Tripwire and intrusion. Support alarm triggering by target types (human and vehicle). Support filtering false alarms caused by animals, rustling leaves, bright lights, etc. | EIS, Defog, Rol,2D & 3D DNR, HLC, BLC, AWB, AGC, Deep Learning, Auto Track, Tripwire, intrusion, Object Abandoned/Missing, SMD Plus, Face Detection, human/motor vehicle/non-motor vehicle Classification, Animals/Leaves/Light False Alarm Filtering |

| | 24 | 25 | 26 | 27 |
|-------|--------------------|---------------------|------------------------|---------------|
| Dahua | DHI-NVR1104HS-S3/H | DH-NVR4104HS-4KS2/L | DHI-NVR4104HS-P-4KS2/L | DHI-NVR2216-I |



| | | | | |
|--------------------|--|--|--|-----------------------------------|
| Price (Rials) | ۳۳.۱۷۰.۰۰۰ | ۵۹.۵۲۰.۰۰۰ | ۸۲.۷۵۰.۰۰۰ | ۱۰۶.۰۶۰.۰۰۰ |
| NVR Type | 4 Ch | 4 Ch | 4 Ch | 16 Ch |
| Input BandWidth | 80Mbps | 80Mbps | 80Mbps | 80Mbps |
| Output Bandwidth | 60Mbps | 48Mbps | 60Mbps | 80Mbps |
| Audio Input/Output | 1Ch. In/ 1Ch. Out | 1Ch. In/ 1Ch. Out | 1Ch. In/ 1Ch. Out | 1Ch. In/ 1Ch. Out |
| Decoding Capacity | Upto 8Mp | Upto 8Mp | Upto 8Mp | Upto 8Mp |
| Video Output | 1 Port HDMI : 4K 1 Port VGA : 1080P | 1 Port HDMI : 4K 1 Port VGA : 1080P | 1 Port HDMI : 4k 1 Port VGA | 1 Port HDMI : 1080p 1 Port VGA |
| POE Ports | - | - | 4 POE Ports | - |
| SATA Interface | 1 HDD up to 8TB | 1 HDD up to 10TB | 1 HDD up to 10TB | 2 HDD up to 6TB |
| Network Interface | 1 RJ45 100M | 1 RJ45 100M | 2 RJ45 100M | 1 RJ45 1000M |
| Chassis | Standalone 1U | Compact 1U | Standalone 1U | 1U Lite |
| Other Features | Smart H.265+/H.265/Smart H.264+/H.264 Alarm I/O 4/1 | Smart H.265+/ Smart H.264+/ H.265/ H.264/ | Smart H.265/H.265/Smart H.264/H.264/MJPEG | H.265/H.264 |

| | 28 | 29 | 30 | 31 |
|-------|---------------|--------------------|------------------------|------------------|
| Dahua | DH-NVR2216-I2 | DHI-NVR4216-4KS2/L | DHI-NVR4216-16P-4KS2/L | DHI-NVR5216-4KS2 |



| | | | | |
|--------------------|--|--|--|--|
| Price (Rials) | ۱۰۶.۹۸۰.۰۰۰ | ۱۰۴.۳۵۰.۰۰۰ | ۱۸۷.۰۷۰.۰۰۰ | ۱۸۳.۰۱۰.۰۰۰ |
| NVR Type | 16 Ch | 16 Ch | 16 Ch | 16 Ch |
| Input BandWidth | 144Mbps | 160Mbps | 160Mbps | 320Mbps |
| Output Bandwidth | 72Mbps | 64Mbps | 64Mbps | 320Mbps |
| Audio Input/Output | 1Ch. In/ 1Ch. Out | 1Ch. In/ 1Ch. Out | 1Ch. In/ 1Ch. Out | 1Ch. In/ 1Ch. Out |
| Decoding Capacity | Upto 8Mp | Upto 8Mp | Upto 8MP | Upto24MP |
| Video Output | 1 Port HDMI : 4K 1 Port VGA | 1 Port HDMI : 4k 1 Port VGA | 1 Port HDMI : 4k 1 Port VGA | 1 Port HDMI : 4k 1 Port VGA |
| POE Ports | - | - | 16 POE Ports | - |
| SATA Interface | 2 HDD up to 10TB | 2 HDD up to 10TB | 2 HDD up to 10TB | 2 HDD up to 10TB |
| Network Interface | 1 RJ45 1000M | 1 RJ45 1000M | 1 RJ45 1000M | 1 RJ45 1000M |
| Chassis | 1U | Standalone 1U | Standalone 1U | Standalone 1U |
| Other Features | Smart H.265+/H.265/Smart H.264+/H.264/MJPEG | Smart H.265/H.265/Smart H.264/H.264/MJPEG | Smart H.265/H.265/Smart H.264/H.264/MJPEG | Smart H.265/H.265/Smart H.264/H.264/MJPEG |

| | 32 | 33 | 34 |
|-------|--------------------|--------------------|-------------------|
| Dahua | DHI-NVR4232-4KS2/L | DHI-NVR608-32-4KS2 | DH-NVR608-64-4KS2 |



| | | | |
|--------------------|--|--|--|
| Price (Rials) | ١٢٥,٤٧٠,٠٠٠ | Call: +٩٦١-٨٨٨٠٠٠٢٠ | Call: +٩٦١-٨٨٨٠٠٠٢٠ |
| NVR Type | 32 Ch | 32 Ch | 64 Ch |
| Input BandWidth | 160Mbps | 384Mbps | 384Mbps |
| Output Bandwidth | 48Mbps | 384Mbps | 384Mbps |
| Audio Input/Output | 1Ch. In/ 1Ch. Out | 1Ch. In/ 1Ch. Out | 1Ch. In/ 1Ch. Out |
| Decoding Capacity | Upto 8MP | Upto 12MP | Upto 12MP |
| Video Output | 1 Port HDMI : 4k 1 Port VGA | 2 Port HDMI : 4k 2 Port VGA : 1080p | 2 Port HDMI : 4k 2 Port VGA : 1080p |
| POE Ports | - | - | - |
| SATA Interface | 2 HDD up to 10TB | 8 HDD up to 10TB | 8 HDD up to 64TB |
| Network Interface | 1 RJ45 1000M | 2 RJ45 1000M | 2 RJ45 1000M |
| Chassis | Standalone 1U | 2U | 2U |
| Other Features | Smart H.265/H.265/Smart H.264/H.264/MJPEG | Smart H.265/H.265/Smart H.264/H.264/MJPEG | H.265/H.264/MJPEG, Support Smart Tracking and Intelligent Video |

WWW.ENGOSTAR.NET